EXHIBIT 2

Description of District Boundaries

SOLTERRA CDD SUNRISE GOLF & COUNTRY CLUB, LLC

LEGAL DESCRIPTION:

ALL OF PARCEL "B" OF REGENCY HOMES AT SUNRISE, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 159, PAGE 15, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA

TOGETHER WITH.

A PORTION OF BLOCKS 1 AND 4 OF SECTION 27, AND BLOCKS 2 AND 3 OF SECTION 28, TOWNSHIP 49 SOUTH, RANGE 41 EAST, "EVERGLADES PLANTATION COMPANY SUBDIVISION", ACCORDING TO THE PLAJ THEREOF, AS RECORDED IN PLAT BOOK 2, PAGE 7 OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT ON THE BOUNDARY OF PARCEL "A" OF SAID REGENCY HOMES AT SUNRISE PLAT, SAID POINT DELINEATED AS PRM NO. 48 ON SAID PLAT; THENCE SOUTH 89'32'52" WEST ALONG A BOUNDARY LINE OF PARCEL "A" OF SAID PLAT, A DISTANCE OF 1277.92 FEET TO A POINT OF CURVATURE OF A 200.00 FOOT RADIUS CURVE, CONCAVE TO THE SOUTH; THENCE WESTERLY AND SOUTHWESTERLY ALONG SAID CURVE AND SAID BOUNDARY THROUGH A CENTRAL ANGLE OF 31"02'38", AN ARC DISTANCE OF 108,36 FEET TO A POINT OF INTERSECTION WITH THE SOUTHERLY PROLONGATION OF THE EAST LINE OF UNIT ONE OF "QUAIL RUN OF SUNRISE UNITS ONE, TWO & THREE" ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 81, PAGE 1, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA; THENCE NORTH 31"27'08" WEST ALONG SAID PROLONGATION, BEING RADIAL TO THE NEXT DESCRIBED CURVE, A DISTANCE OF 1.22 FEET TO THE EASTERN-MOST CORNER OF UNIT ONE OF SAID PLAT; THENCE SOUTHWESTERLY ALONG THE EAST BOUNDARY LINE OF SAID PLAT AND THE ARC OF A 200.00 FOOT RADIUS CURVE, CONCAVE TO THE SOUTHEAST THROUGH A CENTRAL ANGLE OF 23"06'09", AN ARC DISTANCE OF 80.64 FEET TO A POINT OF TANGENCY; THENCE SOUTH 35'26'43" WEST ALONG SAID BOUNDARY, A DISTANCE OF 768.07 FEET TO A POINT OF CURVATURE OF A 600.00 FOOT RADIUS CURVE, CONCAVE TO THE NORTHWEST; THENCE SOUTHWESTERLY ALONG SAID CURVE AND BOUNDARY LINE THROUGH A CENTRAL ANGLE OF 31"01'52", AN ARC DISTANCE OF 324,96 FEET TO A POINT OF TANGENCY; THENCE SOUTH 66"28"35" WEST ALONG SAID BOUNDARY, A DISTANCE OF 180.00 FEET TO THE SOUTHERN MOST CORNER OF UNIT 3 OF SAID PLAT ALSO BEING THE EASTERN MOST CORNER OF PARCEL A, "THE FAIRWAYS OF SUNRISE", ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 101, PAGE 1, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA; THENCE CONTINUE SOUTH 66"28"35" WEST ALONG THE EAST BOUNDARY LINE OF PARCEL "A" OF SAID PLAT, A DISTANCE OF 305.41 FEET TO A POINT OF CURVATURE OF A 600.00 FOOT RADIUS CURVE, CONCAVE TO THE SOUTHEAST; THENCE SOUTHWESTERLY ALONG SAID CURVE AND BOUNDARY THROUGH A CENTRAL ANGLE OF 42'57'20", AN ARC DISTANCE OF 449.83 FEET TO A POINT OF TANGENCY; THENCE SOUTH 23"31"15" WEST, A DISTANCE OF 356.00 FEET TO AN ANGLE POINT OF SAID BOUNDARY; THENCE SOUTH 02'50'12" EAST ALONG SAID BOUNDARY, A DISTANCE OF 155.87 FEET TO THE SOUTHERN MOST CORNER OF PARCEL "A" OF SAID PLAT ALSO BEING THE NORTH EAST CORNER OF PARCEL 21 AND THE EAST BOUNDARY LINE OF ARAGON SECTION ONE. ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 82, PAGE 42, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA; THENCE CONTINUE SOUTH 02'50'12" EAST ALONG THE EAST BOUNDARY LINE OF SAID PLAT, A DISTANCE OF 614.35 FEET TO A POINT OF INTERSECTION WITH A 600.00 FOOT RADIUS NON-TANGENT CURVE, CONCAVE TO THE WEST, WHOSE RADIUS POINT BEARS SOUTH 64'18'32" WEST, FROM THE LAST DESCRIBED POINT; THENCE SOUTHERLY ALONG SAID CURVE AND BOUNDARY THROUGH A CENTRAL ANGLE OF 13"23'04", AN ARC DISTANCE OF 140.16 FEET TO A POINT OF TANGENCY; THENCE SOUTH 12"18'24" EAST ALONG SAID BOUNDARY, A DISTANCE OF 319.04 FEET TO A POINT OF CURVATURE OF A 223.67 FOOT RADIUS CURVE, CONCAVE TO THE NORTHEAST; THENCE SOUTHEASTERLY AND EASTERLY ALONG SAID CURVE AND BOUNDARY THROUGH A CENTRAL ANGLE OF 78'46'41", AN ARC DISTANCE OF 307,53 FEET TO A POINT OF TANGENCY; THENCE NORTH 88'54'55" EAST ALONG SAID BOUNDARY, A DISTANCE OF 50.45 FEET TO THE NORTH EAST CORNER OF PARCEL 16 OF SAID PLAT, ALSO BEING A COMMON CORNER OF PARCEL "A" OF REGENCY HOMES AT SUNRISE, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 159, PAGE 15, OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA, SAID POINT DELINEATED AS PRM NO. 14 ON SAID PLAT; THENCE CONTINUE NORTH 88'54'55" EAST ALONG THE BOUNDARY LINE OF PARCEL "A", A DISTANCE OF 642.16 FEET TO A POINT OF CURVATURE OF A 190.00 FOOT RADIUS CURVE, CONCAVE TO THE NORTH; THENCE EASTERLY AND NORTHEASTERLY ALONG SAID CURVE AND BOUNDARY THROUGH A CENTRAL ANGLE OF 27"31"43", AN ARC DISTANCE OF 91.29 FEET TO A POINT OF TANGENCY; THENCE NORTH 61"23"13" EAST, ALONG SAID BOUNDARY, A DISTANCE OF 245.82 FEET TO A POINT OF CURVATURE OF A 490.00 FOOT RADIUS CURVE, CONCAVE TO THE SOUTH;

(CONTINUED ON SHEET 2)

R:\SURVEY\2014\14-0013 SOLTERRA CDD\DRAWNGS\14-0013_CCD_BOUNDARY.DWG					
THIS IS MOI A SKETCH OF SURVEY, but only a graphic depiction of the description shown hereon. There	UPDATES and/or REVISIONS		DATE	BY	CK'D
has been no field work, viewing of the subject property, or monuments set in connection with the preparation of the information shown hereon.	REVISED BOUNDARY AND LEGAL		3/19/20	JDR	RDP
The undersigned and CRAVEN-THOMPSON & ASSOCIATES, INC. make no representations or guarantees as to the information reflected hereon periodining to essements, rights-of-way, set back lines, reservations, agreements and other similar matters, and further, this instrument is not intended to reflect or set forth all such matters. Such information should be obtained and confirmed by others through appropriate title verification. Londs shown hereon were not obstracted for right-of-way and/or essements of record.					
CRAVEN • THOMPSON & ASSOCIATES, INC. ENGINEERS SURVEYOR'S SURVEYOR'S SURVEYOR'S FLORICA 13349 FAIR (354) 736—8400 FLORICA 13549 FAIR (354) 736—8400 FLORICA 13549 FAIR (354) 736—8400 FLORICA 13549 FAIR (354) 736—8400	JOB NO.: 14-0013	SHEET 1 OF 10 SHEETS		ETS	
	DRAWN BY: AOS	F.B. N/A PG. N/A			
	CHECKED BY: RY	DATED: 02-19-20			

SOLTERRA CDD SUNRISE GOLF & COUNTRY CLUB, LLC

LEGAL DESCRIPTION (CONTINUED):

THENCE EASTERLY ALONG SAID CURVE AND BOUNDARY THROUGH A CENTRAL ANGLE OF 20'59'46", AN ARC DISTANCE OF 179.56 FEET TO A POINT OF TANGENCY; THENCE NORTH 82"22"59" EAST, ALONG SAID BOUNDARY, A DISTANCE OF 604.86 FEET TO A POINT OF CURVATURE OF A 432.67 FOOT RADIUS CURVE, CONCAVE TO THE NORTHWEST; THENCE NORTHEASTERLY AND NORTHERLY ALONG SAID CURVE AND BOUNDARY THROUGH A CENTRAL ANGLE OF 76'51'51", AN ARC DISTANCE OF 580.44 FEET TO A POINT OF TANGENCY; THENCE NORTH 05'31'08" EAST, ALONG SAID BOUNDARY, A DISTANCE OF 208.39 FEET TO A POINT OF CURVATURE OF A 237.56 FOOT RADIUS CURVE, CONCAVE TO THE EAST; THENCE NORTHERLY ALONG SAID CURVE AND BOUNDARY THROUGH A CENTRAL ANGLE OF 28'08'39", AN ARC DISTANCE OF 116.69 FEET TO A POINT OF TANGENCY; THENCE NORTH 33'39'46" EAST ALONG SAID BOUNDARY, A DISTANCE 521.35 FEET TO A POINT OF INTERSECTION OF A 649.13 FOOT RADIUS NON-TANGENT CURVE, CONCAVE TO THE SOUTHEAST, WHOSE RADIUS POINT BEARS SOUTH 59'55'00" EAST, FROM THE LAST DESCRIBED POINT; THENCE NORTHEASTERLY ALONG SAID CURVE AND BOUNDARY THROUGH A CENTRAL ANGLE OF 08'57'26", AN ARC DISTANCE OF 101.48 FEET TO A POINT OF A COMMON CORNER OF PARCEL B OF SAID PLAT; THENCE CONTINUE NORTHEASTERLY ALONG SAID 649.13 FOOT RADIUS CURVE, THROUGH A CENTRAL ANGLE OF 04"20"44", AN ARC DISTANCE OF 49.23 FEET TO A POINT OF REVERSE CURVATURE OF A 423.37 FOOT RADIUS CURVE, CONCAVE TO THE NORTHWEST; THENCE NORTHEASTERLY ALONG SAID CURVE THROUGH A CENTRAL ANGLE OF 00"31"57", AN ARC DISTANCE OF 3.93 FEET TO A POINT OF A COMMON CORNER OF PARCEL B OF SAID PLAT; THENCE CONTINUE NORTHEASTERLY ALONG SAID 423.37 FOOT RADIUS CURVE, THROUGH A CENTRAL ANGLE OF 44"9"48", AN ARC DISTANCE OF 327.56 FEET TO A POINT OF TANGENCY: THENCE NORTH 01"28"35" WEST ALONG THE BOUNDARY OF SAID PARCEL A, A DISTANCE OF 1292.13 FEET TO THE POINT OF BEGINNING.

LESS THERE FROM THE FOLLOWING DESCRIBED PARCEL OF LAND:

A PORTION OF BLOCK 2, SECTION 28, TOWNSHIP 49 SOUTH, RANGE 41 EAST, "EVERGLADES PLANTATION COMPANY SUBDIVISION", ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 2, PAGE 7 OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

COMMENCING AT THE PREVIOUSLY DESCRIBED POINT OF BEGINNING, SAID POINT LYING ON A BOUNDARY OF PARCEL A OF SAID REGENCY HOMES AT SUNRISE PLAT, SAID POINT DELINEATED AS PRM NO. 48 ON SAID PLAT; THENCE" SOUTH 89'32'52" WEST ALONG A BOUNDARY LINE OF PARCEL "A" OF SAID PLAT, A DISTANCE OF 1193.25 FEET TO THE POINT OF BEGINNING OF LESS OUT PARCEL, SAID POINT BEING ON THE ARC OF A 23.00 FOOT RADIUS CURVE, CONCAVE NORTHEASTERLY, WHOSE RADIUS POINT BEARS NORTH 76'23'23" EAST, FROM THE LAST DESCRIBED POINT; THENCE SOUTHEAST, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 76"50"31", AN ARC DISTANCE OF 30.85 FEET TO A POINT OF TANGENCY; THENCE NORTH 89"32"52" EAST, A DISTANCE OF 57.21 FEET TO A POINT OF CURVATURE OF A 32.00 FOOT RADIUS CURVE, CONCAVE SOUTHWESTERLY; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 65"06'22", FOR AN ARC DISTANCE OF 36.36 FEET TO A POINT OF REVERSE CURVATURE OF A 27.00 FOOT RADIUS CURVE CONCAVE NORTHEASTERLY; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 65'06'22", FOR AN ARC DISTANCE OF 30.68 FEET TO A POINT OF TANGENCY; THENCE NORTH 89"32"52" EAST, A DISTANCE OF 143.32 FEET TO A POINT OF CURVATURE OF A 48.00 FOOT RADIUS CURVE, CONCAVE SOUTHWESTERLY; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 45"02"06", FOR AN ARC DISTANCE OF 37.73 FEET TO A POINT OF REVERSE CURVATURE OF A 159.80 FOOT RADIUS CURVE, CONCAVE NORTHERLY; THENCE EASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 70'43'28", FOR AN ARC DISTANCE OF 197.26 FEET TO A POINT OF REVERSE CURVATURE OF A 298.00 FOOT RADIUS CURVE, CONCAVE SOUTHERLY; THENCE EASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 52'02'46", FOR AN ARC DISTANCE OF 270.70 FEET TO A POINT OF REVERSE CURVATURE OF A 180.03 FOOT RADIUS CURVE, CONCAVE NORTHERLY; THENCE EASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 45'30'44", FOR AN ARC DISTANCE OF 143.00 FEET TO A POINT OF REVERSE CURVATURE OF A 98.00 FOOT RADIUS CURVE, CONCAVE SOUTHERLY; THENCE EASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 19'09'21", FOR AN ARC DISTANCE OF 32.76 FEET TO A POINT OF TANGENCY; THENCE NORTH 89'32'52" EAST, A DISTANCE OF 90.69 FEET TO A POINT OF CURVATURE OF A 23.00 FOOT RADIUS CURVE, CONCAVE SOUTHWESTERLY; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 88"58'33", FOR AN ARC DISTANCE OF 35.72 FEET TO A POINT OF TANGENCY; THENCE SOUTH 01"28'35" EAST, A DISTANCE OF 56,87 FEET TO A POINT OF CURVATURE OF A 37,00 FOOT RADIUS CURVE, CONCAVE NORTHEASTERLY; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 55'33'40", FOR AN ARC DISTANCE OF 35.88 FEET TO A POINT OF TANGENCY; THENCE SOUTH 57'02'15" EAST, A DISTANCE OF 48.00 FEET TO A POINT OF CURVATURE OF A 33.00 FOOT RADIUS CURVE, CONCAVE SOUTHWESTERLY; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 55'33'40", FOR AN ARC DISTANCE OF 32.00 FEET TO A POINT OF TANGENCY; THENCE SOUTH 01"28"35" EAST, A DISTANCE OF 108.55 FEET TO A POINT OF CURVATURE OF A 33.00 FOOT RADIUS CURVE, CONCAVE NORTHWESTERLY; (CONTINUED ON SHEET 3)

R:\SURVEY\2014\14-0013 SOLTERRA COD\DRAWINGS\14-0013_CCO_BOUNDARY,DWG

CRAVEN • THOMPSON & ASSOCIATES, INC. ENGINEERS PLANNERS • SURVEYOR'S JOHN HIM. SUPP STREET, FORT LAUDERDALE, FLORIDA JUSTOS FAIG. (654) 738—6400 TELL (654) 738—6400 ALTERIAL SHOWN HEREON IS THE PROPERTY OF CRAVEN-TROWPSON & ASSOCIATE, MR. AND SHALL MOT BE REPRODUCED IN WILLE OR IN PART INHOUT WRITTEN HERMISSON. COPRIDITE (2) 2020	JOB NO.: 14-0013	SHEET 2 OF 10 SHEETS
	DRAWN BY: AOS	F.B. N/A PG. N/A
	CHECKED BY: RY	DATED: 02-19-20

SOLTERRA CDD SUNRISE GOLF & COUNTRY CLUB, LLC

LEGAL DESCRIPTION (CONTINUED):

THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 55"33"40", FOR AN ARC DISTANCE OF 32.00 FEET TO A POINT OF TANGENCY; THENCE SOUTH 54'05'05" WEST, A DISTANCE OF 48.00 FEET TO A POINT OF CURVATURE OF A 37.00 FOOT RADIUS CURVE, CONCAVE SOUTHEASTERLY; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 50'38'03", FOR AN ARC DISTANCE OF 32.70 FEET; THENCE NORTH 86'32'58" WEST, RADIAL TO THE LAST DESCRIBED CURVE, A DISTANCE OF 74.03 FEET; THENCE NORTH 01'28'35" WEST, A DISTANCE OF 21.73 FEET TO A POINT OF CURVATURE OF A 65.00 FOOT RADIUS CURVE, CONCAVE SOUTHWESTERLY, THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 90'00'00", FOR AN ARC DISTANCE OF 102.10 FEET TO A POINT OF TANGENCY; THENCE SOUTH 88'31'25" WEST, A DISTANCE OF 2.38 FEET; THENCE NORTH 01"28"35" WEST, A DISTANCE OF 90.00 FEET; THENCE SOUTH 88"31"25" WEST, A DISTANCE OF 623,00 FEET TO A POINT OF CURVATURE OF A 140,00 FOOT RADIUS CURVE, CONCAVE SOUTHEASTERLY; THENCE SOUTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 90'00'00", FOR AN ARC DISTANCE OF 219.91 FEET TO A POINT OF TANGENCY; THENCE SOUTH 01"28'35" EAST, A DISTANCE OF 134.22 FEET; THENCE SOUTH 88'31'25" WEST, A DISTANCE OF 28.76 FEET TO A POINT OF INTERSECTION OF A 15.00 FOOT RADIUS NON- TANGENT CURVE, CONCAVE SOUTHWESTERLY, WHOSE RADIUS POINT BEARS SOUTH 85'16'01" WEST, FROM THE LAST DESCRIBED POINT, THE NEXT NINE COURSES FOLLOW ALONG THE NORTH BOUNDARY OF THE CONSERVATION EASEMENT AS RECORDED IN THE OFFICIAL RECORDS BOOK 24612, PAGE 670 OF THE PUBLIC RECORDS OF BROWARD COUNTY, FLORIDA; THENCE NORTHWESTERLY ALONG SAID CURVE THROUGH A CENTRAL ANGLE OF 59"53"04", AN ARC DISTANCE OF 15.68 FEET TO A POINT OF TANGENCY; THENCE NORTH 64"37"03" WEST, A DISTANCE OF 35.17 FEET; THENCE NORTH 78'26'42" WEST, A DISTANCE OF 28.83 FEET TO A POINT OF INTERSECTION OF A 55,00 FOOT RADIUS NON- TANGENT CURVE, CONCAVE NORTHEASTERLY, WHOSE RADIUS POINT BEARS NORTH 0372'39" EAST, FROM THE LAST DESCRIBED POINT; THENCE NORTHWESTERLY ALONG SAID CURVE THROUGH A CENTRAL ANGLE OF 42"27"08", AN ARC DISTANCE OF 40.75 FEET TO A POINT OF REVERSE CURVATURE OF A 40.00 FOOT RADIUS CURVE, CONCAVE SOUTHERLY; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 67"02"52", FOR AN ARC DISTANCE OF 46.81 FEET TO A POINT OF REVERSE CURVATURE OF A 23,00 FOOT RADIUS CURVE, CONCAVE NORTHEASTERLY; THENCE SOUTHWESTERLY, WESTERLY, AND NORTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 94'08'22", FOR AN ARC DISTANCE OF 37.79 FEET TO A POINT OF REVERSE CURVATURE OF A 10.00 FOOT RADIUS CURVE, CONCAVE SOUTHWESTERLY; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 7174'33", FOR AN ARC DISTANCE OF 12.43 FEET TO A POINT OF REVERSE CURVATURE OF A 43,00 FOOT RADIUS CURVE, CONCAVE NORTHEASTERLY; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 49"5'39", FOR AN ARC DISTANCE OF 36.97 FEET TO A POINT OF REVERSE CURVATURE OF A 25.00 FOOT RADIUS CURVE, CONCAVE SOUTHERLY; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 93"10"18", FOR AN ARC DISTANCE OF 40.65 FEET; THENCE NORTH 42'23'55" WEST, DEPARTING FROM THE SAID CONSERVATION EASEMENT AND RADIAL FROM THE LAST DESCRIBED CURVE, A DISTANCE OF 60.84 FEET; THENCE NORTH 43"10"51" EAST, A DISTANCE OF 44.62 FEET TO A POINT OF CURVATURE OF A 265.00 FOOT RADIUS CURVE, CONCAVE NORTHWESTERLY; THENCE NORTHEASTERLY, ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 56"21"47", FOR AN ARC DISTANCE OF 260.69 FEET TO A POINT OF COMPOUND CURVATURE OF A 988.00 FOOT RADIUS CURVE CONCAVE SOUTHWESTERLY, THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 8"29"18", FOR AN ARC DISTANCE OF 146.37 FEET TO A POINT OF INTERSECTION TO THE BOUNDARY OF "PARCEL A" OF SAID "REGENCY HOMES AT SUNRISE" PLAT, SAID POINT OF INTERSECTION BEING A 200.00 FOOT RADIUS NON-TANGENT CURVE CONCAVED SOUTHERLY, WHOSE RADIUS POINT BEARS SOUTH 12"42"01" EAST, FROM THE LAST DESCRIBED POINT; THENCE EASTERLY ALONG SAID CURVE, AND SAID BOUNDARY, THROUGH A CENTRAL ANGLE OF 1274'53", AN ARC DISTANCE OF 42.75 FEET TO A POINT OF TANGENCY, THENCE NORTH 89'32'52" EAST ALONG SAID BOUNDARY, A DISTANCE OF 84.67 FEET TO THE POINT OF BEGINNING.

SAID LANDS LYING IN THE CITY OF SUNRISE, BROWARD COUNTY, FLORIDA AND CONTAINING 6,630,559 SQUARE FEET OR (152,216 ACRES), MORE OR LESS. MINISTER .. CHARD D. PA

Tallies)

No. 4038

LORIO

PED LAND

RICHARD D. PRYCE. FOR THE FIRM FLORIDA PROFESSIONAL SURVEYOR MAPPER NO. 4038 CRAVEN THOMPSON & ASSOCIATES, INC. LICENSED BUSINESS NUMBER NO. 271

Digitally signed by Richard D. Pryce Date: 2020.03.19 16:00:09 -04'00'

THIS SKETCH AND DESCRIPTION OR COPIES THEREOF ARE NOT VALID WITHOUT THE SIGNATURE AND ORIGINAL RAISED SEAL OR A UNIQUE ELECTRONIC SIGNATURE OF A FLORIDA LICENSED PROFESSIONAL SURVEYOR AND MAPPER UNDER CHAPTER RULES 5J-17 FLORIDA ADMINISTRATIVE CODE,

CRAVEN • THOMPSON & ASSOCIATES, INC. ENGINEERS PLANNERS SURVEYOR'S JOSS KIK 5380 STREET, FORT LAUGERBLE, ELORGA JUSTOS FAX (ESH) 738—4400 TELL (ES	JOB NO.: 14-0013	SHEET 3 OF 10 SHEETS
	DRAWN BY: AOS	F.B. N/A PG. N/A
	CHECKED BY: RY	DATED: 02-19-20













